

DOUBLE CYLINDERS

Cylinder certified
UNI EN 1303

Quotas		NON-RESTRICTED KEY DUPLICATION, CERTIFIED				PROTECTED KEY DUPLICATION, CERTIFIED			
		C30		C31		C28		C29	
A	B - C	Article		Article		Article		Article	
62	31-31	C30D313101		C31D313101		C28D313101		C29D313101	
67	31-36	C30D313601		C31D313601		C28D313601		C29D313601	
72	31-41	C30D314101		C31D314101		C28D314101		C29D314101	
72	36-36	C30D363601		C31D363601		C28D363601		C29D363601	
77	31-46	C30D314601		C31D314601		C28D314601		C29D314601	
77	36-41	C30D364101		C31D364101		C28D364101		C29D364101	
82	31-51	C30D315101		C31D315101		C28D315101		C29D315101	
82	36-46	C30D364601		C31D364601		C28D364601		C29D364601	
82	41-41	C30D414101		C31D414101		C28D414101		C29D414101	
87	31-56	C30D315601		C31D315601		C28D315601		C29D315601	
87	36-51	C30D365101		C31D365101		C28D365101		C29D365101	
87	41-46	C30D414601		C31D414601		C28D414601		C29D414601	
92	31-61	C30D316101		C31D316101		C28D316101		C29D316101	
92	36-56	C30D365601		C31D365601		C28D365601		C29D365601	
92	41-51	C30D415101		C31D415101		C28D415101		C29D415101	
92	46-46	C30D464601		C31D464601		C28D464601		C29D464601	
97	31-66	C30D316601		C31D316601		C28D316601		C29D316601	
97	36-61	C30D366101		C31D366101		C28D366101		C29D366101	
97	41-56	C30D415601		C31D415601		C28D415601		C29D415601	
97	46-51	C30D465101		C31D465101		C28D465101		C29D465101	
102	31-71	C30D317101		C31D317101		C28D317101		C29D317101	
102	41-61	C30D416101		C31D416101		C28D416101		C29D416101	
102	46-56	C30D465601		C31D465601		C28D465601		C29D465601	
102	51-51	C30D515101		C31D515101		C28D515101		C29D515101	
107	46-61	C30D466101		C31D466101		C28D466101		C29D466101	
107	51-56	C30D515601		C31D515601		C28D515601		C29D515601	
112	31-81	C30D318101		C31D318101		C28D318101		C29D318101	
112	41-71	C30D417101		C31D417101		C28D417101		C29D417101	
112	51-61	C30D516101		C31D516101		C28D516101		C29D516101	
112	56-56	C30D565601		C31D565601		C28D565601		C29D565601	
122	31-91	C30D319101		C31D319101		C28D319101		C29D319101	
122	41-81	C30D418101		C31D418101		C28D418101		C29D418101	
122	51-71	C30D517101		C31D517101		C28D517101		C29D517101	
132	61-71	C30D617101		C31D617101		C28D617101		C29D617101	

DOUBLE CYLINDERS

Cylinder certified
UNI EN 1303

PROTECTED KEY DUPLICATION, CERTIFIED



CAT. 2



CAT. 3




CAT. 1

PROTECTED AND CONTROLLED KEY DUPLICATION, CERTIFIED



CAT. 1



C38



C43



C44



C48



Quotas

Article	Article	Article	Article	Article	A	B - C
C38D313101	C43D313101	C44D313101	C48D313101	62	31-31	
C38D313601	C43D313601	C44D313601	C48D313601	67	31-36	
C38D314101	C43D314101	C44D314101	C48D314101	72	31-41	
C38D363601	C43D363601	C44D363601	C48D363601	72	36-36	
C38D314601	C43D314601	C44D314601	C48D314601	77	31-46	
C38D364101	C43D364101	C44D364101	C48D364101	77	36-41	
C38D315101	C43D315101	C44D315101	C48D315101	82	31-51	
C38D364601	C43D364601	C44D364601	C48D364601	82	36-46	
C38D414101	C43D414101	C44D414101	C48D414101	82	41-41	
C38D315601	C43D315601	C44D315601	C48D315601	87	31-56	
C38D365101	C43D365101	C44D365101	C48D365101	87	36-51	
C38D414601	C43D414601	C44D414601	C48D414601	87	41-46	
C38D316101	C43D316101	C44D316101	C48D316101	92	31-61	
C38D365601	C43D365601	C44D365601	C48D365601	92	36-56	
C38D415101	C43D415101	C44D415101	C48D415101	92	41-51	
C38D464601	C43D464601	C44D464601	C48D464601	92	46-46	
C38D316601	C43D316601	C44D316601	C48D316601	97	31-66	
C38D366101	C43D366101	C44D366101	C48D366101	97	36-61	
C38D415601	C43D415601	C44D415601	C48D415601	97	41-56	
C38D465101	C43D465101	C44D465101	C48D465101	97	46-51	
C38D317101	C43D317101	C44D317101	C48D317101	102	31-71	
C38D416101	C43D416101	C44D416101	C48D416101	102	41-61	
C38D465601	C43D465601	C44D465601	C48D465601	102	46-56	
C38D515101	C43D515101	C44D515101	C48D515101	102	51-51	
C38D466101	C43D466101	C44D466101	C48D466101	107	46-61	
C38D515601	C43D515601	C44D515601	C48D515601	107	51-56	
C38D318101	C43D318101	C44D318101	C48D318101	112	31-81	
C38D417101	C43D417101	C44D417101	C48D417101	112	41-71	
C38D516101	C43D516101	C44D516101	C48D516101	112	51-61	
C38D565601	C43D565601	C44D565601	C48D565601	112	56-56	
C38D319101	C43D319101	C44D319101	C48D319101	122	31-91	
C38D418101	C43D418101	C44D418101	C48D418101	122	41-81	
C38D517101	C43D517101	C44D517101	C48D517101	122	51-71	
C38D617101	C43D617101	C44D617101	C48D617101	132	61-71	

Note: pack 1 pc.

All cylinders can be supplied with construction keys or "Vario" system (system not available for C43 and C44). See section "MASTER KEY SYSTEMS" - pag. 35.

DOUBLE CYLINDERS "FRICTIONED"

Cylinder certified
UNI EN 1303

		NON-RESTRICTED KEY DUPLICATION, CERTIFIED				PROTECTED KEY DUPLICATION, CERTIFIED			
		 CAT. 2		 CAT. 2		 CAT. 2		 CAT. 2	
		Quotas		C30		C31		C28	
A	B - C	Article		Article		Article		Article	
62	31-31	C30D3131F1		C31D3131F1		C28D3131F1		C29D3131F1	
67	31-36	C30D3136F1		C31D3136F1		C28D3136F1		C29D3136F1	
72	31-41	C30D3141F1		C31D3141F1		C28D3141F1		C29D3141F1	
72	36-36	C30D3636F1		C31D3636F1		C28D3636F1		C29D3636F1	
77	31-46	C30D3146F1		C31D3146F1		C28D3146F1		C29D3146F1	
77	36-41	C30D3641F1		C31D3641F1		C28D3641F1		C29D3641F1	
82	31-51	C30D3151F1		C31D3151F1		C28D3151F1		C29D3151F1	
82	36-46	C30D3646F1		C31D3646F1		C28D3646F1		C29D3646F1	
82	41-41	C30D4141F1		C31D4141F1		C28D4141F1		C29D4141F1	
87	31-56	C30D3156F1		C31D3156F1		C28D3156F1		C29D3156F1	
87	36-51	C30D3651F1		C31D3651F1		C28D3651F1		C29D3651F1	
87	41-46	C30D4146F1		C31D4146F1		C28D4146F1		C29D4146F1	
92	31-61	C30D3161F1		C31D3161F1		C28D3161F1		C29D3161F1	
92	36-56	C30D3656F1		C31D3656F1		C28D3656F1		C29D3656F1	
92	41-51	C30D4151F1		C31D4151F1		C28D4151F1		C29D4151F1	
92	46-46	C30D4646F1		C31D4646F1		C28D4646F1		C29D4646F1	
97	31-66	C30D3166F1		C31D3166F1		C28D3166F1		C29D3166F1	
97	36-61	C30D3661F1		C31D3661F1		C28D3661F1		C29D3661F1	
97	41-56	C30D4156F1		C31D4156F1		C28D4156F1		C29D4156F1	
97	46-51	C30D4651F1		C31D4651F1		C28D4651F1		C29D4651F1	
102	31-71	C30D3171F1		C31D3171F1		C28D3171F1		C29D3171F1	
102	41-61	C30D4161F1		C31D4161F1		C28D4161F1		C29D4161F1	
102	46-56	C30D4656F1		C31D4656F1		C28D4656F1		C29D4656F1	
102	51-51	C30D5151F1		C31D5151F1		C28D5151F1		C29D5151F1	
107	46-61	C30D4661F1		C31D4661F1		C28D4661F1		C29D4661F1	
107	51-56	C30D5156F1		C31D5156F1		C28D5156F1		C29D5156F1	
112	31-81	C30D3181F1		C31D3181F1		C28D3181F1		C29D3181F1	
112	41-71	C30D4171F1		C31D4171F1		C28D4171F1		C29D4171F1	
112	51-61	C30D5161F1		C31D5161F1		C28D5161F1		C29D5161F1	
112	56-56	C30D5656F1		C31D5656F1		C28D5656F1		C29D5656F1	
122	31-91	C30D3191F1		C31D3191F1		C28D3191F1		C29D3191F1	
122	41-81	C30D4181F1		C31D4181F1		C28D4181F1		C29D4181F1	
122	51-71	C30D5171F1		C31D5171F1		C28D5171F1		C29D5171F1	
132	61-71	C30D6171F1		C31D6171F1		C28D6171F1		C29D6171F1	

DOUBLE CYLINDERS "FRICTIONED"

Cylinder certified
UNI EN 1303

PROTECTED KEY DUPLICATION, CERTIFIED



CAT. 2



CAT. 3




CAT. 1

PROTECTED AND CONTROLLED KEY DUPLICATION, CERTIFIED



CAT. 1



C38



C43



C44



C48



Quotas

Article		Article		Article		Article		A	B - C
C38D3131F1		C43D3131F1		C44D3131F1		C48D3131F1		62	31-31
C38D3136F1		C43D3136F1		C44D3136F1		C48D3136F1		67	31-36
C38D3141F1		C43D3141F1		C44D3141F1		C48D3141F1		72	31-41
C38D3636F1		C43D3636F1		C44D3636F1		C48D3636F1		72	36-36
C38D3146F1		C43D3146F1		C44D3146F1		C48D3146F1		77	31-46
C38D3641F1		C43D3641F1		C44D3641F1		C48D3641F1		77	36-41
C38D3151F1		C43D3151F1		C44D3151F1		C48D3151F1		82	31-51
C38D3646F1		C43D3646F1		C44D3646F1		C48D3646F1		82	36-46
C38D4141F1		C43D4141F1		C44D4141F1		C48D4141F1		82	41-41
C38D3156F1		C43D3156F1		C44D3156F1		C48D3156F1		87	31-56
C38D3651F1		C43D3651F1		C44D3651F1		C48D3651F1		87	36-51
C38D4146F1		C43D4146F1		C44D4146F1		C48D4146F1		87	41-46
C38D3161F1		C43D3161F1		C44D3161F1		C48D3161F1		92	31-61
C38D3656F1		C43D3656F1		C44D3656F1		C48D3656F1		92	36-56
C38D4151F1		C43D4151F1		C44D4151F1		C48D4151F1		92	41-51
C38D4646F1		C43D4646F1		C44D4646F1		C48D4646F1		92	46-46
C38D3166F1		C43D3166F1		C44D3166F1		C48D3166F1		97	31-66
C38D3661F1		C43D3661F1		C44D3661F1		C48D3661F1		97	36-61
C38D4156F1		C43D4156F1		C44D4156F1		C48D4156F1		97	41-56
C38D4651F1		C43D4651F1		C44D4651F1		C48D4651F1		97	46-51
C38D3171F1		C43D3171F1		C44D3171F1		C48D3171F1		102	31-71
C38D4161F1		C43D4161F1		C44D4161F1		C48D4161F1		102	41-61
C38D4656F1		C43D4656F1		C44D4656F1		C48D4656F1		102	46-56
C38D5151F1		C43D5151F1		C44D5151F1		C48D5151F1		102	51-51
C38D4661F1		C43D4661F1		C44D4661F1		C48D4661F1		107	46-61
C38D5156F1		C43D5156F1		C44D5156F1		C48D5156F1		107	51-56
C38D3181F1		C43D3181F1		C44D3181F1		C48D3181F1		112	31-81
C38D4171F1		C43D4171F1		C44D4171F1		C48D4171F1		112	41-71
C38D5161F1		C43D5161F1		C44D5161F1		C48D5161F1		112	51-61
C38D5656F1		C43D5656F1		C44D5656F1		C48D5656F1		112	56-56
C38D3191F1		C43D3191F1		C44D3191F1		C48D3191F1		122	31-91
C38D4181F1		C43D4181F1		C44D4181F1		C48D4181F1		122	41-81
C38D5171F1		C43D5171F1		C44D5171F1		C48D5171F1		122	51-71
C38D6171F1		C43D6171F1		C44D6171F1		C48D6171F1		132	61-71

Note: pack 1 pc.

All cylinders can be supplied with construction keys or "Vario" system (system not available for C43 and C44). See section "MASTER KEY SYSTEMS" - pag. 35.